

BOPIX
LITT WORKS

MILIACCELEVISION
The Leader in Mobile Entertainment Systems

Accele Custom

BEÜLER



2012





DOCK MATCH I T IT -CLOSE I T WIRE



NEW!

8.5" Model: AXHR8500D



Multimedia Player

SD Card

Slot

FEATURES

- · 800 X 480 Resolution
- · 400 NIT
- · Built-in IR Audio Transmitters
- · 2 Audio / Video Inputs
- · Unique, Efficient OEM Pillow Design
- · 2 Channel IR
- · Baseball Stitch
- Made in an OEM Factory
- · Adjustable Posts (4 to 8")
- · Available in 104 PMH Colors

AVAILABLE I N 1 0 4 COLORS


Dual Screen Flipdown Monitor with 2 Channel IR Transmitter

- Dual 8.5" wide screen LCD
- 350 nits
- · Single, Dual or Tri-screen split capable
- 2-audio video inputs
- 2- additional video only inputs
- · 2-channel IR wireless audio out
- · Low profile
- · Led dome light
- Remote

AXFD2850 AXFD2850SD - With SD



8.5" Widescreen Flipdown Monitor With Built-In Multimedia Player



Available in Gray and Tan

- 8.5" Widescreen 16:9
- · Built-In Multi-media player
- 400 NIT
- 800 X 480 Resolution
- · Built-In FM Modulator
- Built-In IR Audio
- Dome Light
- · SD Card Reader
- USB Input
- 2 A/V Inputs
- iPod Cable Included


11" Widescreen Flipdown Monitor with Built-In Mutimedia Player

> ΙN - O N E

FEATURES

- 11" Widescreen 16:9
- Built-In Multi-media player
- 400 NIT
- 800 X 480 Resolution
- Built-In FM Modulator
- Built-In IR Audio
- 3 Position Dome Light
- Black/Grey/Tan Skins Included
- SD Card Reader
- USB Input
- 2 A/V Inputs
- iPod Cable Included





8.5" Center Console Mount LCD With Built-In Multimedia Player



Available in Black, Gray, and Tan

- 8.5" Color TFT LCD Screen
- IR Remote OSD
- 400 nit
- 1 A/V In. 1 A/V Out
- Built-In Multimedia DVD Player
- USB/SD Card Reader
- 360 Angel Swivel
- Built-In IR Transmitters

Solutions Particularly for Mecedes

2006 and Newer

LCDMBZ85B - Black LCDMBZ85G - Gray

9" Headrest Mount Monitor with SD Card Player "Great For Active Headrests"





- 9" Widescreen High Bright LCD Monitor
- · Sleek-OEM Style rubber paint housing
- · Universal Headrest Mounts
- USB & SD Card Reader
- SD Card Reader
- Audio Video Input and Outputs
- 2-Channel
- IR Transmitter with flipdown feature

LCDHFD9WB - Black LCDHFD9WG - Gray

iPad Holder, Charger with IR and FM Transmitters

Car Headrest Mount



iPad Holder Unclips Easily from Headrest Mount

iPad Holder Attached to Headrest Mount





- Universal Headrest mounts
- Sleek-OEM style housing with multiple viewing adjustments
- iPad 1 & 2 Compatible
- 2-Channel infrared Headphone Tranismitters
- · Sturdy adjustable construction
- · Optional-Wireless FM transmitters

Holds and Charges iPad, Clamp mounts to any headrest poles, Built in IR headphones and FM Transmitters

> - iPad 1 with IR iPad 1 with IR & FM · iPad 2 with IR - iPad 2 with IR & FM



ALL-IN-ON

- * Changeable Color Skins! (Included)
- 11" TFT LCD Monitor
- · Built-in DVD Player
- NTSC/PAL
- DVD/VCD/SVCD/MP3/CD
- 800 x 480 Pixels
- Dome Lights
- IR Headphone Transmitter
- 2/V and 1/A Inputs
- On Screen Display (OSD)



* Full 1080i HD Resolution HD HDMI Input!

- Pixels: 1920 X 1080
- Display Format: 16:9
- System : PAL/NTSC
- Video VGA Inputs
- HDMI Input
- · Built-in IR Transmitter
- Built-in Dome Lamps
- Power Supply : DC12V 2.5 Amps



ZFD23WHDMI

DESCREE



- IR Headphone Transmitter
- 2/V and 1/A Inputs
- Remote Control
- On Screen Display (OSD)



- 1280 X 768 Pixels
- · Two Video Inputs
- Dual Dome Lights
- Wireless Remote Control
- On Screen Display (OSD)

ZFD14W



- IR Headphone Transmitter
- 2/V and 1/A Inputs
- Remote Control
- On Screen Display (OSD)
- 13^{11/16}"(H) x 13^{5/16}"(W) x 1^{1/2}"(D)

ZFD154WS



ZFD8WC

- 17" TFT Active Matrix

- Remote Control
- On Screen Display (OSD)
- 14^{7/8}"(H) x 19^{1/2}"(W) x 1^{7/8}"(D)



ZFD17WT



• 2 Video Inputs

• Dome Lights

· Built-in IR Transmitter

• On Screen Display (OSD)



(Availalble w/ VGA ZFD19WLVGA)

ZFD19WLN



7" Pre-Fab, Dual Disc Headrest Monitors

- Display Size: 7" Widescreen 16:9
- Resolution: 1440 x 234 Pixels
- · Built-in Multi-media Player
- · High Resolution and Brightness
- Universal Adjustable Headrest Posts
- IR Headphone Transmitter
- FM Wireless Transmitter
- Last Memory Function
- A/V Output and Input
- Anti-Shock Built in
- · Available in Black, Tan or Grey















ZHD700-B

ZHD700-T

ZHD700-G



9" Pre-Fab, Dual Disc Headrest Monitors

- Display Size: 9" Widescreen 16:9
- Resolution: 1440 x 234 Pixels
- · Built-in Multi-media Player
- · High Resolution and Brightness • Universal Adjustable Headrest Posts
- IR Headphone Transmitter
- FM Wireless Transmitter
- Last Memory Function
- A/V Output and Input
- Anti-Shock Built in
- · Available in Black, Tan or Grey

USB SD



ZHD9X-SD

HEADREST WIDESCREENS

5.8" Headrest Widescreen Monitor

- 5.8 TFT Widescreen
- NTSC /PAL
- 1440 x 234 Pixels
- Remote Control
- 2 Video Inputs
- · Mounting Brackets Included
- Pedestal Mount Included
- Brightness: 250 NIT
- 5"(H) x 7"(W) x 6 3/4"(D)



7" Headrest Widescreen Monitor

- 7" TFT Widescreen
- NTSC/PAL
- 1440 x 234 Pixels
- 2 Channel IR
- Remote Control
- IR Headphone Transmitter
- Pedestal Mount Included
- Hi-Density LCD Panel
- Contoured Trim Bezel
- Brightness: 250 NIT
- 8"(H) x 6"(W) x 1 7/8"(D)



ZH58P3

10.2" Sun Visor Monitor

- 10.2" TFT LCD Color
- · High Resolution • PAL / NTSC
- · Wireless Remote Control
- · Wide View Angle
- 4 Display Modes

Available in Black, Tan or Grey for Passenger Side or Driver Side







ZSV102DRT

ZSV102DRG


ZH70WLS

Accele Custom

LED BACKLIT RAW MODULES


LCD18L

- 1.8" TFT LCD Screen
- NTSC/PAL
- · Mirror/Flip Image
- · LED Backlight
- 280 x 220 pixels
- · Brightness: 150 nit



LCD25L

- 2.5" TFT LCD Screen
- NTSC/PAL
- Mirror/Flip Image
- LED Backlight
- 480 x 234 pixels
- Brightness: 200 nit
- 2"(H) x 21/2"(W) x 7/16"(D)



LCD35L

- 3.5" Color TFT LCD Screen
- NTSC/PAL
- · Mirror/Flip Image Switch
- LED Backlight
- 480 x 234 pixels
- · Brightness: 200 nit
- 23/8" (H) x 31/4"(W) x 1/2"(D)



- 5" TFT LCD Screen
- NTSC / PAL/ Computer
- 640 x 480 Pixels
- · Brightness: 300 NIT
- LED Backlight
- · Auto Power On, OSD
- 31/2"(H) x 45/8"(W) x 7/8"(D)

LCD7WLVGA

- 7" TFT LCD Screen
- · NTSC / Computer
- 800 x 480 Pixels
- · Brightness: 300 NIT
- LED Backlight
- 41/16"(H) x 67/16"(W) x 9/16"(D



LCD8L

- 8" Color TFT LCD Screen
- NTSC/PAL
- · Mirror/Flip Image Switch
- LED Backlight
- 800 x 600 pixels
- 51/2" (H) x 73/16"(W) x 1/2"(D)



LCD35VGAN

- 3.5" Color TFT LCD Screen

LCD5PAL

LCD64BN

- Mirror/Flip Image Switch
- 400 x 300 pixels
- Brightness: 200 nit

• 5" TFT LCD Screen

• 960 x 234 pixels

• Brightness: 300 nit

• 6.4" TFT LCD Screen

· CCFT Backlight

• 960 x 234 pixels

· Brightness: 300 nit

• 43/4"(H) x 61/8"(W) x 1"(D)

· NTSC/PAL/Auto Switching

NTSC/PAL/Auto Switching

• 4 Mounting Posts on Back

• 311/16"(H) x 5"(W) x 11/8"(D)

• 23/8" (H) x 31/4"(W) x 1/2"(D



- 8" TFT LCD Screen
- NTSC / PAL / Computer
- 800 x 600 Pixels
- · Brightness: 200 NIT
- LED Backlight
- 59/16"(H) x 73/16"(W) x 5/8"(D



LCD102WVGA

LCD8LVGA

- 10.2" TFT LCD Screen
- NTSC / PAL / Computer
- 800 x 480 Pixels
- · Brightness: 300 NIT
- LED Backlight
- 53/4"(H) x 91/4"(W) x 5/8"(D)



LCD154T

- 15.4" TFT LCD Widescreen
- NTSC/PAL/VGA/S-Video
- · Remote Control
- 1280 x 800 pixels
- Brightness: 220 nit
- 95/8"(H) x 135/16"(W) x 5/8"(D)



LCD17WLX

- 7" TFT LCD Widescreen
- NTSC/PAL/VGA

LCD7WVGA

• 2 Video Inputs

LCD7XLE

- 800 x 400 pixels
- · Brightness: 300 nit
- 41/4"(H) x 61/2"(W) x 1"(D)

• 7" TFT LCD Widescreen

• 1440 x 234 pixels

· Brightness: 300 nit

· NTSC/PAL/Auto Switching

• 315/16"(H) x 61/2"(W) x 5/8"([

• 2 Video Inputs or S-Video Input



- 17" TFT LCD Screen
- NTSC / PAL / Computer . S-Video/ DVI
- 1440 x 900 Pixels
- · Brightness: 250 NIT
- LED Backlight
- 10"(H) x 15^{2/3}"(W) x 7/8"(D)



LCD19WX

- 19" TFT LCD Widescreen
- NTSC/PAL/VGA
- 2 Video Inputs
- 1440 x 900 pixels
- · Brightness: 300 nit



LCD20HD

LCD8WVGA

- 8" TFT LCD Screen
- NTSC/PAL/VGA
- 2 Video Inputs
- 640 x 480 pixels
- · Brightness: 220 nit



- 20.1" TFT LCD Screen
- · NTSC / PAL / Computer
- 1600 x 1200 Pixels
- · Brightness: 250 NIT



• 13^{1/8}"(H) x 17^{1/8}"(W) x 7/8"(D)

• 413/16"(H) x 73/8"(W) x 1"(D)

LCDP7NB-B - Black - White

LCDP700VGA LCDP700VGATS - Touchscreen

LCDM7WP - 2 Video In LCDM7WP4 - 4 Video Quad

LCDP104L



- 7" TFT LCD Widescreen
- NTSC/PAL
- · 2 Video Inputs
- 1440 x 234 pixels
- Brightness: 300 nit
- No Buttons
- · Auto Video On
- 5^{5/6}"(H) x 7^{1/16}"(W) x 1^{1/8}"(D)



- 7" TFT LCD Widescreen
- NTSC/PAL/VGA
- 2 Video Inputs
- 1440 x 234 pixels
- · Brightness: 300 nit
- · Auto Video On
- 55/6"(H) x 71/16"(W) x 11/8"(D)



- 8.4" TFT LCD
- NTSC/PAL/VGA
- 2 Video Inputs
- 800 x 600 pixels
- Brightness: 300 nit
- 55/6"(H) x 71/16"(W) x 11/8"(D)



- 7" TFT LCD Widescreen
- · NTSC/PAL
- 2 Video Inputs
- 1440 x 234 pixels
- WaterProof
- 55/6"(H) x 71/16"(W) x 11/8"(D)



- 10.4" TFT LCD Screen
- (2) 1/2 Watt Speakers
- 800 x 600 Pixels
- Brightness: 230 nit
- NTSC/PAL/VGA/S-Video/Audio
- 10"(H) x 715/16"(W) x 11/8"(D)

HOUSED MONITORS

"M" SERIES HOUSED MONITORS

LCDM84VGA

- 8.4" TFT LCD Color Monitor
- IR Remote OSD
- 2 Video Inputs / 1 Computer Input
- 800 X 600 Pixels
- 325 nit
- 6^{7/8}" (H) X 8^{3/4}" (W) X 1^{1/4}" (D)
- V. Area: 5^{1/8}" (H) x 7" (W)

LCDM102W

- 10.2" Widescreen TFT LCD Screen
- NTSC/PAL
- 3 Input Signals
- 800 X 480 Pixels
- · Brightness: 300 nit
- 63/4" (H) X 103/8" (W) X 11/16" (D)

LCDM104SVGA

- 10.4" LCD Screen Monitor
- · IR Remote with OSD
- 2 Video Inputs
- 800 X 600 Pixels
- · Brightness: 300 nit
- 8" (H) X 103/4" (W) X 13/8" (D)

LCDM12WVGA

- 12" TFT LCD Screen
- NTSC/PAL/VGA/S-Video
- · IR Remote Control
- 1440 X 900 Pixels
- · Brightness: 300 nit

LCDM15HS

- 15" TFT LCD Screen
- IR Remote Control
- 1024 X 768 Pixels
- · Brightness: 300 nit
- 103/8" (H) X 14" (W) X 11/8" (D)
- · This model does not include brackets. Brackets included is Model: LCDM15HNBS











- 15.4" TFT LCD Screen
- NTSC/PAL/VGA/S-Video
- 3 Input Signals
- 1280 X 800 Pixels
- · Brightness: 220 nit
- 9^{7/16}" (H) X 13^{3/4}" (W) X 7/8" (D)



LCDM154VGA



LCDM17WVGA

- 17" TFT LCD Screen
- NTSC/PAL/VGA/S-Video
- IR Remote Control
- 1440 X 900 Pixels · Brightness: 300 nit

LCDMC19WX

- 19" TFT LCD Screen
- NTSC/PAL/VGA/S-Video
- IR Remote Control
- 1440 X 900 Pixels
- · Brightness: 300 nit • 11^{1/8}" (H) X 17" (W) X 1^{1/8}" (D)



LCDM20HD LCDM20

- 20" TFT LCD Screen
- NTSC/PAL/VGA/S-Video
- IR Remote Control
- (HD) 1600 X 1200 Pixels
- · Brightness: 300 nit
- 141/2" (H) X 187/8" (W) X 13/4" (D)



LCDMC22WX



• 22" TFT LCD Screen

- NTSC/PAL/VGA/S-Video
- IR Remote Control
- Brightness: 300 nit



Customize your own Camera Monitoring System Choose a Camera and a Monitor to create a Kit that works for you.

Step 1: Choose a Camera

WPLC296R (Reverse)

- Color
- Lense 2.96
- Image Sensor 380 TV lines
- · Waterproof
- · Snap in Flush Mount Ring
- · Goes to B/W when Low Light

WPLC36

- Color
- Lense 3.6mm
- 380 TV Lines
- WaterProof
- Size 7/8 X 3"
- Infra-red light Sensitive



- · Lense 3.6mm
- Lines 560
- WaterProof
- Size 21 X 73
- · Infra-red light Sensitive

For IR Light Sensitive WPLC36HRIR

RVC910

SVC950

WPLC36HR

RVC1200IRN (Standard) RVC1200IR (Reverse)

- · Flush Mount Camera
- · Mirror Image
- 120° View
- · Lense 2.96mm
- Waterproof • IR Senders
- Hole Size 11/8" X 2" Deep
- Image Sensor 380 TV Lines
- Goes to B/W when Low Light

RVC400R

- Color
- · Lense 2.96mm
- 120°View
- · Mirror Image
- 380 TV Lines
- · Waterpoof
- 3^{3/8}" X 1/6"





- 3.5mm
- Lines 270
- Waterproof
- Size 64 X 56 X 43



RVC300IR

- IR Flush Mount Camera
- Color Image
- Mirror Image
- 120° View
- · Waterproof • IR Illumination



- Color
- 150° Viewing
- 380 TV Lines
- 0.5 Lux
- · Standard or Mirror Image

SURFACE MOUNT

RVC1000

- · Mini Super Wide Viewing

- WaterProof

- 5 15V

- · Stick Mount Super Wide Viewing
 - Angle Mirror Image
 - 160° Viewing
 - 380 TV Lines
 - WaterProof
 - 0.5 Lux



RVC1100

- Stick Mount Super Wide Viewing
- · Angle Mirror Image
- 160° View
- · Lenes 2.96mm
- 11/8" X 11/2" x 13/8"
- 380 TV Lines Waterproof Metal Housing

RVCLR

- Flexible Rubber Housed Camera
- Lens Size 2.8mm
- · Water Proof
- 120° View
- 0.5 Lux at F2.0
- 400 TV Lines
- 70mm (W) X 40mm (D) X 30mm (H)

· Side Mount or Under Bumper Camera

- · Standard Wide Viewing
- 120° View
- 380 TV Lines
- Waterproof
- 11/2" X 11/2" X 2 Mirror Image

World's Smallest Waterproof Camera with surface & flush mount adaptor!

- 165° View
- 0.5 Lux • 5 0 13 VDC @ 80ma
- 380 TV Lines
- Size 12 X 18mm • Flush Mount Hole - 18mm
- Mini Camera with Surface Mount Adapter · All Electronics in camera





Mini Camera with Surface Flush Adapter





Camera can be converted to Flush mount or Screw mount







Right Passenger Side View



Lower Bumper Rear View

Flush Mounting Cameras • TV Lines: 420

OEM Look!

- Viewing Angle: 170° • IP67 Waterproof · Sensitivity: 0.2 lux
- Current : 300mA · Voltage: 12VDC
- Operating Temp : -20°C ~ 60°C



Dual Angle View Camera System Easily Switch from Wideview to Narror View

- · Dual Adjustable Cameras on Single Mount
- Wide Viewing Angle (2.96mm lens)
- Narrow Viewing Angle (3.8mm lens)
- Low 0.4 Lux 480 TVL lines
- Size 1" x 2.75" x 1"
- · Easy Mounting





RVC1400IR Mini 360 Degree Waterproof IR Camera

Aluminum Housing with stainless steel brackets which allows the IR camera to be mounted 360 degree. Great for inside/outside vehicle monitoring

- Sensor : Color 1/3" DSC
- Min Illumination: 0 Lux with IR / F1.7
- · Auto IR LED Photo sensor
- Sensitivity: 0.2 Lux
- Operation temp : -40o C to 85o C
- Viewing Angle: 150o (NTSC)
- Size : 26mm (diameter) X 25mm (L) 1" X 1"
- Voltage : DC 10.5V 13V
- 60mA /80mA 120mA (with LED)

Side CCD Cameras with LED Marker Lights

LED side marker lights with built in side CCD cameras can work with the auto 3 video switcher to auto switch cameras from right, left to back automatically as you turn on your signals or when you are backing up.



All In One! Camera and Side Marker lights

SVC200K

Auto Switcher SVC200SW



LICENSE PLATE CAMERAS

RVC800IRC - Chrome RVC800IRB - Black



- Metal License Plate CCD
- Lens Size 2.8mm
- Waterproof
- 120° View
- 0.5 Lux at F2.0
- Image Sensor 420 TV Lines
- · Color Image W/ Auto White Balance

RVC50



- · License Plate Camera
- 120° View
- Waterproof
- Reverse Image

RVC800LPNC - Chrome RVC800LPNB - Black



- Metal License Plate CCD
- Lens Size 2.8mm
- · Waterproof
- 120° View
- 0.5 Lux at F2.0 • Image Sensor 420 TV Lines
- Color Image W/ Auto White Balance

RVCLPMB - Black **RVCLPM - Chrome**



- · License Plate Camera
- 120° View
- · Waterproof
- · Reverse Image

T-SERIES LICENSE PLATE

TLP100IRB - Black TLP100IRC - Chrome



- Metal License Plate CCD
- Lens Size 2.8mm
- Waterproof
- 120° View
- 0.5 Lux at F2.0
- Image Sensor 420 TV Lines
- · Color Image W/ Auto White Balance

TLP100MIRB - Black TLP100MIRC - Chrome



- · License Plate Camera
- 120° View
- · Waterproof
- · Reverse Image



Step 2: Choose a Monitor

MONITORS

RVM430BT - BT RVM430BTG - BT w/ Glass Mount

- 4.3" Widescreen
- · Slim Rear View Monitor
- 2 Video Input Switcher
- On Mirror Controls



RVM102N

- 10.2: Ultra Wide LCD Screen
- 2 Video Input Switcher
- Easy Mounting
- · Splt Screen Video



RVM103

- 10.2: Ultra Wide LCD Screen
- · Clip On Rearview Mirror
- · Easy Mounting
- · Dual Video Display Monitor
- · 4 Video Input Switcher Included



LCDP35D

- 3.5" LCD Display Standalone
- NTSC/PAL
- Display 16:9
- Resolution : 1440 X 234





- High Def 3.5" LCD Monitor
- 360 Degree Rotatable Design
- · Easy to Assemble
- · Double multifunctional video input







LCDP43LW

- 4.3" LCD Display Standalone
- NTSC/PAL
- Display 16:9
- Resolution: 1440 X 234



COMPLETE CAMERA KITS / DVRS / QUAD SPLITTERS

LCDRV700CBL60 (60 FT Cable)

LCDRV700K

Truck/Van/RV 3 Camera System

Auto Switching Dual Side and Back Camera System with 7" LCD Monitor.

Kit includes:

- 2 (30 ft) and 1 (60 ft) Waterproof cables
- · All CCD Cameras have built in IR Illuminators and microphones.



LCDRV700CBL15 (15 FT. Cable) LCDRV700CBL20 (20 FT. Cable) LCDRV700CBL30 (30 FT. Cable)

4 Channel CF Card DVR

4 Channel VGA Resolution with motion sensor recording Time stamp, Alarm In / Alarm out, Lockable CF Card, Storage size is only limited to your CF card capcity (No Limit) No more harddrive to fail!

Dimension: (D) 6 3/4 X (W) 6 3/4 X (H) 1 1/2

- · Motion Sensor Recording
- 4 Channel VGA
- · Lockable compact flash slot
- GPS Logger Option (location, speed, etc.)





LCDRV560WL

Wireless Camera And Monitor Kit

- · Wireless 5.6" LCD Camera
- IR Illuminators
- · Microphone Built In
- · Mounting Brackets Included



Mini DVR





DVR400CI



LCDRV700CCDWS

Wireless Camera Kit

- Single or Auto Switcher
- · 4 Channel Wireless Camera Kit
- IR Illuminators
- Microphone Built In
- Compatible with RV Monitors LCDRV700



QUAD Splitter / Switcher

· Records only when in motion

View up to 4 images simultaneously on 1-screen!

- 4-Input
- 1-Output
- · Remote Included



AUDIO & VIDEO ACCESSORIES

DUAL DIGITAL TV TUNER RECEIVES ATSC & ATSC-MH DIGITAL SIGNALS!

ATSC & ATSC-MH Mobile TV Tuner IR Remote Control and Receiver

DC Power Cable

A/V Cable

Pole Antenna USB 2.0 Input

Resolution: 1920 X 1080i (ATSC) : 416 X 249 (ATSC-MH)



You can finally watch TV while the vehicle is in motion!

Have Your Cake and Eat it Too!

Just ATSC Signal

ATSC & ATSC-MH Digital Signals







Dimensions: 2"(H) x 7"(W) x 6 5/8"(D)



ZHIR20 - 1CH

ZHIR22 - 2CH

WIRELESS INFRARED STEREO HEADPHONE OEM QUALITY!

• Studio Quality Dual-Channel Headphones with Wide Angle Infrared Detection

CDIR2H - Dual Channel **CDIRHP - Single Channel CDIRT - Transmitter 1 CH**

· Controls on Headphones for: Volume, Power & Auto Muting Feature



INFRARED WIRELESS STEREO HEADPHONES

Touch On/Off Switch + Volume Control

Extra Padded Ear & Headband Cushion

• Impedance: 32 Ohms +/- 4 Ohms

Power Input Tolerance: 40mm Mylar Cone

Automatic Power Off & Mute

ZHIR22TR - Transmitter Onl



GAME KIT \ POWER INVERTERS

Inverters

Only

GAME110K125 - 125 Watt Game Kit GAME110K400 - 400 Watt Game Kit

76125 - 125 Watt

76400N - 400 Watt

77750 - 750 Watt

771000 - 1000 Watt

771200 - 1200 Watt

772000 - 2000 Watt

775000 - 5000 watt



WIRELESS OR WIRED FM **MODULATOR**

 Easily Add Audio to Any Video System Through the Existing Car FM Stereo Antenna

 Direct Connect 2 Frequency PLL Drift-Free FM Modulator 88.9/88.5MHz



RFMWL4 - Wireless RFM37 - Wired


VIDEO FILTER / STABILIZER

- Video Filter and Stabilizer
- Video Amplifier
- 1 input, 10 output

• 12 VDC

VF1000

Great for Video Displays, Vans, Buses, Etc



DIGITAL VIDEO NOISE FILTERS

Eliminates Noise on Video!

- Engine alternator Video Noise
- Stabilizes Vertical Sync
- Stabilizes Horizontal Sync





4 IN / 4 OUT AUDIO / VIDEO SWITCHER

- 4 Audio / Video Input and Output
- LED Display (on Chassis)
- Remote Eye
- 7 1/4" (H) x 10 3/4" (W) x 1" (D)



VIDEO AMPLIFIER

- Individual Fine Tune Signal Sharpness
- 4 or 8 Composite Video Outputs
- Single Composite Video Input
- 13/16" (H) x 6 9/16" (W) x 3 1/2" (D)



ZVA800 - 8 Out



KEYLESS ENTRY

WIRELESS WATERPROOF KEYLESS ENTRY KEYPAD

- · Stick onto Car Door
- · Lock/Unlock Doors
- Open Trunk
- AUX Output. Programmable Momentary or Toggle On/Off
- 5 Button Illuminated Keypad
- Perfect for Custom Keyless Entry Access without the need of a Key or Remote
- · Looks like Ford OEM Keypad



KEYLESS FREEDOM... LEAVE IT ALL BEHIND...









RS505

REMOTE STARTER / ALARM COMBOS

VEHICLE SECURITY WITH CAR START SYSTEM

- · Multi-Tone Siren
- Starter Disable Output
- Personal Coded Override Switch
- Dual-Stage Electronic Impact Sensor
- Starter Interrupt Output
- Remote Door Lock/Unlock
- Parking Light Flasher
- Courtesy Light Control

- Turbo Timer
- Cold Start Timer
- Smart Network Port
- · Gas or Diesel Compatibility
- Selectable Engine Run Time
- Two Long-Range Remote Controls (Code Hopping Technology)
- Remote Engine Starter



AS635P5

UPGRADE EITHER SYSTEM WITH PLUG-IN 2-WAY RECEIVE AND REMOTE.

INSTANTLY GAIN UP TO 3500 FT. WITH 2-WAY AM FREQUENCY REMOTE.



FULL FEATURED, CAR STARTER SYSTEM WITH KEYLESS ENTRY

- Two 5-Button Code Hopping Remote Controls
- Two-Car Operation Remote Controls
- True RPM Sensing for Real Time Cranking
- Remote Controlled Courtesy Lighting
- 2-Stage Passenger Unlock Output
- RPM Learning Indication
- Two Auxiliary Channels
- User Selectable Auto Lock

- Stop and Go Feature
- Flashing Parking Lights
- Factory Security Disarm Output
- Remote Door Locking/Unlocking
- Gas or Diesel Mode with Glow Plug Input
- Active Output for Factory (Passlock/Transponder) Bypass
- Cold Start Timer (Programmable Every 1 or 2 Hrs)
- Programmable Engine Run Tlme (15 or 25 Min)





SEAT HEATERS / BACK UP SENSORS

SEAT HEATERS

- · Single Lumbar or Seat Bottom
- · Heating Element & Illuminated Switch
- Can be Installed in Less than 15 minutes
- · Quality Units
- No Competition
- · Big Profits



SH200

Dual Pad System with High/Low and On/Off Switch.



SH2CF

Trimmable Carbon Fibe Heating Element.

2 Pad System with

High/Low Temperature Control.



4 SENSOR BACK-UP SYSTEM

- · Flat, Flush-Mounting Sensors
- · Unit Features 4 Sensor for Full Coverage
- Plug-in Piezo for Audio Indication
- Plug-in Color LED Visual Display
- · Will work in Plastic and Metal Bumpers
- Unit Turns On & Off When You Put the Car in Reverse

New 8 SENSOR FRONT AND BACK-UP SYSTEM ALSO AVAILABLE (BU 500-8)



Piezo Off / Low / High



Ceiling / Headline mount display



BU500



ACCESSORIES



RS610

- Mechanical Hood Lock
- 5 Foot Length (RS610)
- 7 Foot Length (RS611)



RS612

- Electronic Hood Lock
- · Rugged Steel Housing
- 50" Steel Pull Cable



7725MS

RS639

Dual Zone Radar Sensor

• 4 Watt, 3 Channel Pager

· Works up to Three Cars

• 3 Zones for Each Car



7037N or 7037J

- Door Lock Actuators
- 2 Wire (7037N or 7037J)



Door Pop Kit

- 5911B-Solenoid Unlatcher
- · Spring Door Opener



CLT400

- · Code Learning Transmitters
- 4-Button, 2-Channel
- 350-450 MHz



0018P (CR2025) / CR2032

- · Lithium 3V Battery
- (i.e. Auto Page, Autovox alarms)
- DEI alarms



- · Code Learning Transmitters
- · 2-Button, Mini Transmitters
- · Incorporates Ignition Key



7038PM

- 2 Stage Piezo Shock Sensor
- · Internal Adjustment LED's
- Molex harness Design



201DR Plug and Play Relay

- · Molex Harness Design
- · Hi-Current Mini Relay



0016 or 0016P

• 12 Volt Transmitter Battery



BRS5083

- · Relay and Socket
- BRS14E-Wired Socket Only
- Beuler 40/50 Relay



LED STROBE LIGHTS

ED LIGHTS.

COMPACT LED STROBE LIGHT

- WaterProof
- Compact Size
- · Easy Mount
- Programmable Strobe Pattern
- Super Bright LED

A Great, Energy Efficient Strobe Alert Solution



TRUE STROBE LIGHTS

Commercial grade high power stobes that can be installed in headlight, parking lights & grills to catch maximum attention.

FS4 - 4 Bulb FS6 - 6 Bulb

Available in 4 or 6 Bulbs

LED LIGHT STRIPS AVAILABLE IN 9" OR 15"

SMLED15G - 15" Green SMLED15R - 15" Red



SMLED9G - 9" Green SMLED9R - 9" Red SMLED9W - 9" White



LL1 - Four white LED light 12 - 24 VDC



LL3 - Four White LED light is 100% waterproof 12 - 24 VDC (Shown with black waterproof rubber gasket)



LL4 - 4 Watt LED waterproof flood lights

DOME/MAP LIGHTS -



DL1 - Custom dome lights with on/off switch



DL2 - 3-position dome light switch on/off



LL2 - Incandescent light bulb with on/off push control (on knotched part of clear lens) 12 VDC





- Easy installation, easy-to-use
- Program your own text fast & simple
- Easy-to-use, remote control with smart
- Powered from 12V/24V lighter outlet w/ 12 ft.cord (AC Adaptor Also available, part #SLM-PS2)



OHL1 - Single over head map light (swivels +/- 30 degrees)



OHL2 - Dual over head map light (swivels +/- 30 degrees)



OHL200 - Oval dual over head map light (swivels +/- 30 degrees)

SOLAR LIGHTING SYSTEM

SPK10 - Solor lighting kit

10 Watt Solar Panels (Tempered Glass Encapsulated) Mono Crystaline Silicon 25 Year life Panels

12 vdc power system

9 Amp Hour Battery (sealed maintenancefree lead-acid battery)

Output: 2 x 12V outlets



SPK20 - Solor lighting kit

20 Watt Solar Panels

Mono Crystaline Silicon 25 Year life Panels

12 vdc power system

12 Amp Hour Battery (sealed maintenancefree lead-acid battery)

Output: 2 x 12V outlets





Actuators & Accessories

T SERIES - LINEAR ACTUATORS 0.5"/sec



IIILU	LINEAL ACTUATORIO	0.0 / 000
Part#	Stroke	Force
6101T	1" Actuator	110
6102T	2" Actuator	110
6103T	3" Actuator	110
6104T	4" Actuator	110
6106T	6" Actuator	110
6108T	8" Actuator	110
6110T	10" Actuator	110
6112T	12" Actuator	110
6118T	18" Actuator	110
6124T	24" Actuator	110

AMT - DOMESTIC GRADE LINEAR ACTUATORS



Part#	Stroke	Force
6176	4" Actuator*	75
6175	6" Actuator*	75
6178	12" Actuator	250

C SERIES - LINEAR ACTUATORS 1.5"/sec



Part#	Stroke	Force
6102C	2" Actuator	200
6104C	4" Actuator	200
6106C	6" Actuator	200
6108C	8" Actuator	200
6112C	12" Actuator	200
6118C	18" Actuator	200
6124C	24" Actuator	200
6136C	36" Actuator	200

CH SERIES - LINEAR ACTUATORS 0.4"/sec



	Part#	Stroke	Force
	6102CH	2" Actuator	1000
	6104CH	4" Actuator	1000
	6106CH	6" Actuator	1000
Ų	6108CH	8" Actuator	1000
	6112CH	12" Actuator	1000
	6118CH	18" Actuator	1000
	6124CH	24" Actuator	1000
	6136CH	36" Actuator	1000

POWER WINDOW MOTOR KITS



Both flush and surface mounting OEM type switch and

Part#	Color
APW2KS	2 Switch power window kit
APW2K	3 Switch power window kit
APW74K	7 Switch power window kit
SPH33	Window kit motor assembly

SPRING DOOR OPENERS



RUST PROOF CONSTRUCTION. SPRING LOADED DOOR PUSHERS. Will open door as soon as the car door is unlatched by remote solenoid.

Part#

UNIVERSAL TRUCK/HATCH RELEASE SOLENOID



Add remote electric power release to any trunk or hatchback (manual or cable type). Ideal for alarms using 2nd channel to release trunk. All mounting brackets and hardware along with manual momentary switch included.

Part#	Type
5911B Economy	Trunk Solenoid Only
5911N Economy	Solenoid w/ Wiring and Switch
5912E High Grade	Trunk Solenoid Only
5912K* High Grade	Solenoid Wiring Switch/Door Pop

40 LB. DOOR POP SOLENOID



Add remote electric power release to any trunk or hatchback (manual or cable type). Ideal for alarms using 2nd channel to release trunk. All mounting brackets & hardware along with manual momentary switch included.

Part#	Description
DPS40	40 lb. Solenoid

BRUSHLESS COOLING FANS



ACCELE cooling fans are available in 4 different sizes w/ standard CHROME PLATED ONLY metal finger guards.

Part#	Description
6506	1 5/8" 12VDC cooling fan
6507	2 3/8" 12VDC cooling fan
6508	3 5/8" 12VDC cooling fan
6509	4 3/4" 12VDC cooling fan

AMT - GEAR HEAD MOTORS



12 Volt, 6/60 RPM gearhead motors. Great for custom

Part#	Description
MG120	Motor geared 120 RPM 12VDC
MG20	Motor geared 20 RPM 12VDC
MG300	Motor geared 300 RPM 12VDC
MG6	Motor geared 6 RPM 12VDC
MG60	Motor geared 60 RPM 12VDC

INVISIBLE SWITCH / STARTER KILL SWITCH



The Invisible Toggle switch senses the electrostatic touch of your finger tip through any dash plastic up to 1/8 inch thick! Great for stealth control of accessories.

ON - When you touch the area where you set the sensor. (it beeps) OFF - When you touch the same area. (no sound)

> Programable On/Off or Momentary Output!


> > Invisible Switch Version

Starter Kill Version



INV₁₀

SK550



CROSSFLOW COOLANG FAN



Brushless. High efficiency. Low profile. Available in 12-24VDC or 110VAC. High "SP". Super Quiet.

Double .	Description
Part#	Description
2053F	8" Crossflow Fan

Steering Wheel Mounted IR Code Learning Remote Control. Will Work with Video, Head Units, Navigation, Satellite Systems, etc.

STEERING WHEEL MOUNTED REMOTE CONTROL

Part#







Wire, Conduit & Loom



PRIMARY WIRE

	ona jaonet	io gai primar	,	iti iongini	
Part#	Color	Part#	Color	Part#	Color
618PBLK	Black	618PLTGRN	Lt Green	618PPUR	Purple
618PBLU	Blue	618PPNK*	Pink	618PRED	Red
618PBRN	Brown	618PORG	Orange	618PWHT	White
618PGRN	Green		•	618PYEL	Yellow
618PGRY	Gray				



SOLDER AND WICK

Quality "KESTER" brand, "A" 60/40 3.3%, Rosin core.

Part#	Т	γр
001	"A" 18 gauge	1 lb
003	"A" 20 gauge	1 lb
002	V	Vic



TRANSPARENT JACKET PRIMARY WIRE

Economy transparent jacket 18 ga. primary wire. 500 ft. length.

•			•	•	
Part#	Color	Part#	Color	Part#	Color
618PCBLK	Black	618PCGRY**	Gray	618PCPUR	Purple
618PCBLU	Blue	618PCLTGRN	Lt Green	618PCRED	Red
618PCBRN**	Brown	618PCORG	Orange	618PCWHT**	White
618PCGRN**	Green	618PCPNK**	Pink	618PCYEL*	Yellow



FLEX GUARD LOOM

FLEX GUARD LOOM. Use to cover wire, hoses, cables etc...Excellent protection. Slit full length for ease of assemble, yet stays together. Resistant to gasoline, oil & other chemicals. Easy to work with, can be cut with knife & scissors.

Part#	Size	Part#	Size
1200	1/8"	1204+	3/4"
1201	1/4"	1210	1"
1202*	3/8"	1220*	2"
1203*+	1/2"	12114	1 1/4"
1258	5/8"	12112	1 1/2"

* Avail, in Red. + Avail, in White



DOMESTIC GRADE PRIMARY WIRE

18 gauge. 1000 ft. length	ı.	16 gauge. 500 ft. length.		14 gauge. 500 ft. length.	
Part#	Color	Part#	Color	Part#	Color
618BLK	Black	616BLK	Black	614BLK	Black
618BLU	Blue	616BLU	Blue	614BLU	Blue
618BRN	Brown	616BRN	Brown	614BRN	Brown
618GRN	Green	616GRN	Green	614GRN	Green
618GRY	Gray	616GRY	Gray	614GRY	Gray
618ORG	Orange	616ORG	Orange	614ORG	Orange
618RED	Red	616RED	Red	614RED	Red
618VIO	Violet	616VIO	Violet	614VIO	Violet
618WHT	White	616WHT	White	614WHT	White
618YFI	Yellow	616YFI	Yellow	614YFI	Yellow



FLEX GUARD LOOM IN TANGLE-FREE DISPENSER PACK. No more tangles! No more mess! Flex easily dispenses & is easily stored away. All flex dispenser boxes are uniform in size for easy storage and stacking. Save up to 30% off on purchases of 2 or more of the same size dispenser packs of loom.

Part#	Length/Ft.	Part#	Length/Ft.
1200P	500/1000	1258P	250
1201P	500/1000	1204P	200
1202P	500	1210P	100
1203D	250		



2 gauge.	10 gauge.
00 ft. length.	500 ft. length

Part#	Color	Part#	Colo
612BLK	Black	616BLK	Black
612RED	Red	616RED	Red
		616YEL	Yellov

SPEAKER WIRE AND ZIP CHORD

Description Speaker Wire

Speaker Wire

Speaker Wire

Speaker Wire

Zip Chord - Black/Red





21105	1/2" (1203)
21106	5/8" (1258)
21107	1" (1210)



TRANSPARENT PRIMARY WIRE - "P" SERIES

10 gauge / 250 ft. long		8 gauge / 250 ft. long (*100 ft. length).		4 gauge / 100 ft. long.	
Part#	Color	Part#	Color	Part#	Color
PR2010RR	Red	PR2008RR	Red	PR1004RR	Red
PR2010BB	Black	PR2008BB	Black	PR1004BB	Black

FLEX GUARD ACCESSORIES - ROSE BUD CLIP



Part#	Size:
21108	3/8"
21100	413 or 1/2"



FLEX TEES

Quickly connects breakouts to your main loom



automy com	nooto broanouto t	o , o a	
Part#	Left	Right	С
21103	3/4"	3/4"	
24402	4/011	0/49	4 (011

ragiit	Center
3/4"	1/2"
3/4"	1/2" or 3/4"
3/4"	3/8"
1/2"	1/2"
3/8"	3/8"
	3/4" 3/4" 1/2"



STRIPED SPECIALTY WIRE AND TRACER WIRE

14

12

18 gauge specialty wire. 1000 ft. length.

Part#	Color	Part#	Color
613BG	Green / Black	613BY	Yellow / Black
613BLY	Yellow / Stripe - Blue	613BW	Black w/ White Tracer
613BO	Orange / Black	613WBK	White w/ Black Tracer
613BR	Red / Black	613WBL	Blue / White
613BS	Gray / Black	613WBR	Brown / White
613BV	Violet / Black		

FLEX/CONDUIT TERMINATION GROMMET



Finally a clean termination for flex loom/conduits, Ideal for running conduit through firewalls, to subwoofer enclosures or power speaker cables in trunk for show. The fittings will clamp onto our waterproof flexible conduits (FC58, FC5) or to our flex loom (1258, 1203). Gives a clean & professional look to any install.

Part#	Flex-Loom or Conduit Size
FG58	5/8"
FG5	1/2"
FG58L	5/8" 90° Elbow



Wire, Conduit & Looms

12'

15"

15"

BLACK POLYOLEFIN HEAT SHRINK

Part#	Size	Length	Part#	Size	Length
1510	1/8"	4 ft.	1510R	1/8"	100 ft. roll
1520	3/16"	4 ft.	1520R	3/16"	100 ft. roll
1530	1/4"	4 ft.	1530R	1/4"	100 ft. roll
1540	1/2"	4 ft.	1540R	1/2"	100 ft. roll
1552	3/4"	4 ft.			
1551	1"	4 ft.			
1550	2"	A ft			

QUALITY NYLON CABLE TIES

Part# WTB12

WTB15

WTB4

WTB6

WTB8

WTW15

Qty's of 100, 500 & 1,000

Exceeds mil. spec. requirements. Weather resistant. Rated 40°C - 105°C. QPL listed, heat stabilized. Made in the U.S.A.

50 lbs

50 lbs

18 lbs

50 lbs

50 lbs

50 lbs

50 lbs

Black

Black

Black

Black

Black

White

White



Part#	Color	Type
5004	Black	4"
5016	Black	6"
5028	Black	8"
5030	Black	8" Screw
5040	Black	15"

COLORED POLYOLEFIN HEAT SHRINK

Part#	Size	Color	Part#	Size	Color
1511BLU	1/8"	Blue	1521BLU	3/16"	Blue
1511CLR	1/8"	Clear	1521CLR	3/16"	Clear
1511RED	1/8"	Red	1521RED	3/16"	Red
1511WHT	1/8"	White	1521WHT	3/16"	White
1511YEL	1/8"	Yellow	1521YEL	3/16"	Yellow

Sold in 4 ft. lengths.

(All colors & sizes can be special ordered in 100 ft. lengths.)

Part#	Size	Color	Part#	Size	Color
1531BLU	1/4"	Blue	1541BLU	1/2"	Blue
1531CLR	1/4"	Clear	1541CLR	1/2"	Clear
1531RED	1/4"	Red	1541RED	1/2"	Red
1531WHT	1/4"	White	1541WHT	1/2"	White
1531YEL	1/4"	Yellow	1541YEL	1/2"	Yellow

ECONOMY NYLON CABLE TIES

Qty's of 1

100, 500 & 1,000	Part#	Color	Туре
	5005BLK	Black	4"
	5006BLK	Black	6"
	■ 5007BLK	Black	8"
	5041BLK	Black	15"
	5005WHT	White	4"
	5006WHT	White	6"
	5007WHT	White	8"
	5055BLK	Black	1/2" X 18 yd. Roll
No. of the last of			

RUBBER GROMMETS

BLACK VINYL TUBING

Flexible, Durable, Inexpensive

Part#	Size	Color
1209	1/8"	500/1000
1206	1/4"	250/500
1208	1/2"	100

DELUXE FLEXIBLE RUBBER DOOR BOOT/GROMMET

Super flexible. Easy to use, just cut to length.

Part#	Color
2623B	Economy 5 1/2" Long

Qty's of 100



Part#	Color	Hole Siz
206	1/16"	3/16"
207	1/8"	1/4"
208	3/16"	3/8"
209	5/16"	7/16"
210	3/8"	7/16"
211	1/2"	5/8"

DOME HOLE PLUGS

Great for covering LED holes

Part#	Type	Part#	Type	Part#	Type
D532	5/32"	D516	5/16"	D76	3/4"
D316	3/16"	D380	3/8"	D77	1"
D14	1/4"	D12	1/2"		

Qty's of 100, 500 & 1,000

Qty's of 100



SNAP	BUSHINGS		
	Part#	ID	OD
	4049	.250"	1/8"
3)	4050	.312"	3/16"
	4060	.437"	5/16"
n .	4070	.500"	3/8"
	4071	.750"	39/64"
ÿ.	4066	.859"	.7"

PVC WATERPROOF FLEXIBLE CONDUIT



Waterproof, chemical and acid resistant. Smooth, glossy black look, great for show applications. Fits into FG58, FG5 or FG58L. Clean, high tech looking.

Part#	Size	Length
FC58	5/8"	12 ft.
FC5	1/2"	12 ft.

NYLON CABLE CLAMPS

Qty's of 100, 500 & 1,000



Part#	Size
4000	1/8'
4010	1/4'
4020	3/8'
4030	1/2'
4040	3/4'
4041	1'

STAINLESS STEEL CABLE TIES



Nearly indestructible. Stainless steel cable ties for those "it can't fail" jobs. Won't corrode, crack or become brittle due to time or weathering. Very cosmetic. Sold in packs of 10.

Part#	Length
SST8	8"
SST13	13"
SST19	19"

4-WAY CABLE TIE MOUNT

Qty's of 100, 500 & 1,000





Relays & Sockets

BEÜLER Relays and Accessories



- 1. Relay with Tab 40/60 Amp SPDT Negative spike suppression Built-in Part # 5083
- 2. Relay no Tab 40/60 Amp SPDT Negative spike suppression Built-in Part # 5083W
- 3. Fuse Holder ATC with Snap on cover Part # BU340 Complete kit w/ 6" & 30" red wires Part # BU340C Holder with 2 connectors (no wires) Part # BU340H Holder only (no connectors or wires)
- 4. Time Delay Relay NEW! Relay turns off 2 sec. to 5 min.after + trigger is turned off. 30 Amp SPST Internal adjustable pot. Part # BU508TD

- **BEULER RELAYS**
 - 5. Relay no Tab, Waterproof 40/60 Amp SPDT Negative spike suppression Built-in Part # 5084W
 - 6. Relay with Tab, Waterproof 40/60 Amp SPDT Negative spike suppression Built-in Part # 5084
 - 7. Interconnection Relay Socket Part # BRS14E (Socket, Connectors & 12" wires) Part # BRSPC (Socket only) Part # BRSCN (Connectors only) (100 Pack)















BOSCH RELAYS

Part#	Description	Type	Amperage
5080	Bosch Standard	SPDT	20/30
5090	Bosch Metal	DPST	20
5081	Micro Bosch w/ Tabs	SPDT	10/20
5085	Bosch Inrush	SPDT	40/50
5075	Bosch High Amperage	SPDT	75
5078	Bosch Relay w/ Resistor	SPDT	20/30

STANDARD 18" PREWIRED SOCKETS

BRS14ESP Standard 5-Wire Socket SK14 Starter Kill 3-Wire 12 Guage Socket







SOCKET & RELAY COMBINATION PACKS

RAW SOCKETS AND CONNECTORS

Part#	Description	Amperage	
BRS5083	Beuler Std. Socket Combo	40/50	
BRS125083F	Beuler Started Kill Combo	40/50	
5080R14	Bosch Std. Socket Combo	20/30	
SK14R	Bosch Starter Kill Combo	20/30	



Part#

BRSP

BRSPC

BRSS

BRST

BRSTP

BRSCN



ECONOMY O.E.M. RELAY

Part#	Description	Type	Amperage
5035	AEI O.E.M.	SPDT	30/40

HIGH AMPERAGE RELAYS









Description

Solder Pins

Interconnecting Socket

Relay Socket w/ Connectors Interconnecting Socket w/ Connectors

Bulk Solder Pins 5,000 pc. Roll

Socket

LATCHING RELAYS

Part#	Description	Type	Amperage
5086	Quality	SPDT	15
5087	Quality	SPST	15

FLEX TEES

Quality construction prohibits operational failure due to environmental factors like temperature & humidity.



Part#



Fuse & Surge Protection

BUSSMAN STANDARD ATC FUSES



1 - 30 Amps.

Part#	Amps	Part#	Amps	Part#	Amps
5701	1	5775	7.5	5725	25
5703	3	5710	10	5730	30
5704	4	5715	15	5740	40
5705	5	5720	20		

QTY: 20, 50 and 100

ATM FUSES MINI LOW PROFILE



Part#	Amps	Part#	Amps
6710	10	6725	2530
6715	15	6730	
6720	20		

QTY: 1

AGC TYPE FUSES



Part#	Amps	Part#	<u>Amps</u>	Part#	<u>Amps</u>	
5806	.25	5803	3	5815	15	
5807	.5	5804	4	5820	20	
5808	.75	5805	5	5825	25	
5809	1.5	5831	7	5830	30	
5801	1	5832	7.5	5836	35	
5802	2	5810	10			
QTY: 10	/ 100					

GMA GLASS FUSES



Part#	Amps	Part#	Amps	Part#	Amps
5721G	.5	5724G	2	5727G	5
5722G	1	5725G	3		
5723G	1.6	5726G	4		

QTY: 20

GOLD AGE FUSES

13/32 x 1-1/2"



Part#	Amps	Part#	Amps	Part#	Amps
FU10	10	FU30	30	FU60	60
FU15	15	FU35	35	FU70	70
FU20	20	FU40	40	FU80	80
FU25	25	FU50	50		

QTY: 5

AGU FUSES



Used in most Amps, i.e. Fosgate Amps.					
Part#	Amps	Part#	Amps		
5901	1.5	5904	6		
5902	3	5905	7.5		
F000	-				


QTY: 20

GOLD ANL FUSES



Gold-Plated High Amperage Fuses.						
Part#	Amps	Part#	Amps	Part#	Amps	
AN-80	80	AN-150	150	AN-250	250	
AN-100	100	AN-200	200	AN-300	300	
AN-125	125					

HEAVY DUTY MAXI FUSES



20 - 80 Amps				
Part#	Amps	Part#	Amps	
5920	20	5960	60	
5930	30	5970	70	
5940	40	5980	80	
5950	50			
QTY: 1				

GBC IMPORT CERAMIC FUSES



Part#	Amps
5908	8
5916	16
5925	25
OTY: 20	

BUSSMAN MINI ATC FUSES



Mini fuses are half the size of ATC fuses. Standard on most 1993 cars.

Part#	Amps	Part#	Amps	Part#	Amps		
5600	2	5604	7.5	5608	25		
5601	3	5605	10	5609	30		
5602	4	5606	15				
5603	5	5607	20				

QTY: 20, 50 and 100

RUBBER GROMMETS



For alarm sirens & flashing light outputs. Easity & inexpensively stop the latest method used by burglars to defeat car alarms, by shorting out the siren or lights, & then tripping the alarm, which causes the main alarm fuse to blow, all without a sound! Easy, Quick Crimp on inline fuse holders, with fuses built-in. Wire between alarm brain to siren & parking lights. Dark grey and black colors easily blend right into hood wiring.

Part#	Color	Protects	Fuse
SP2	Black	Siren	2A
SP10	Dark Grey	Lights	10A
QTY: 1			

GM BATTERY PORT EXTENDERS









GOLD HEAVY DUTY RING TERMINAL



Quality gold-plated ring terminal for 0 to 8 gauge power cables will work with top and side mount battery terminals.

Part#	Gauge	Part#	Gauge
PLR8	8	TBR20	Spade 10 - 16
PLR4	4		
PI RO	0		

GOLD-PLATED BATTERY CLAMPS



High quality gold-plated top mount battery clamp with 2 power tap terminals

Part#	Screw Type	Part#	Screw Type
PLB2N	(-) Small	PLB4N	(-) Large
PLB2P	(+) Small	PLB4P	(+) Large

BATTERY SWITCH



Heavy Duty 175 Amp. Disconnect all electrical circuit with a simple turn of the knob. Attaches to battery in minutes. Eliminates battery drain, prevents electrical fires. Provides emergency cutoff. Remove knob to stop theft and unauthorized operation.

Part#	Description
8206	Battery Switch

PRE-WIRED STANDARD ATC FUSES



1 - 30 An	nps.				
Part#	Amps	Part#	Amps	Part#	Amps
5701PT	1	5775PT	7.5	5725PT	25
5703PT	3	5710PT	10	5730PT	30
5704PT	4	5715PT	15	5740PT	40
5705PT	5	5720PT	20		
QTY: 12					

PRE-WIRED MINI ATC FUSES



Mini fuses are half the size of ATC fuses. Standard on most 1993 cars.

Part#	Amps	Part#	Amps	Part#	Amps
5600PT	2	5604PT	7.5	5608PT	25
5601PT	3	5605PT	10	5609PT	30
5602PT	4	5606PT	15		
5603PT	5	5607PT	20		



Fuse & Surge Protection



DELUXE ATC TYPE FUSE HOLDERS

Deluxe water tight body with water resistant cap.

Part#	Gauge	Description
5063	18	with cap
5061	16	with cap
5060	12	with cap
5062	10	with cap



ATC FUSED DISTRIBUTION BLOCK

6 Gang low profile screw terminals. Accepts as large as 4 gauge wires. 3" (W) x 1 3/4" x 3/4"

Part#	Type
5415	6 Gang
5415M	3 Gang



MINI ATC WATERPROOF FUSE HOLDER

Ideal for limited space installations

Part#	Gauge
5407	16
5406	12



DELUXE AGU FUSE HOLDER

Part# Gauge AGU-34B



ATC FUSE HOLDER WITH MOUNTING TAB

This snap together fuse holder includes a rubber water seal and works with ATC type fuses. The outer cover includes an attachment tab for mounting, and fuse holder features a quick release clip for easy replacement / installation of

Part#	Gauge
5408	12



PANEL MOUNT FUSE HOLDER

Screw mount type. For AGC fuses. Part#



AGU FUSES DISTRIBUTION BLOCK

Gold-plated common buss bar. 4 output AGU block.

Part# PRA-2059



IN-LINE AGC FUSE HOLDERS

Bright yellow body for 12 - 18 gauge wires

Part#	Description
6445	Standard
6446F	Waterproof



PROLINE™ DUALTAP™ 60 AMP ATC FUSE BLOCK

Introducing another first! The DUALTAP™ ATC fused distribution block. Two ATC fuses are junctioned together to give an 8 gauge 60 Amp output with 2 standard inexpensive 30 Amp ATC fuses. 4, 6 or 8 gauge outputs. Quality gold-plated 100% brass. Comes with clear cover.

Part#



IN-LINE HEAVY DUTY FUSE HOLDER

Longer 6" black leads. Heavy duty - bakelite. Includes AGC fuse.

Part# Gauge		Amp	
5404	18	4	
5400*	16	10	
5405	14	20	
5401*	10	30	
5402	10	35	

*Specify Black or Red



PROLINE™ DUALTAP™ 60 AMP ATC FUSE BLOCK

High power 5-300 Amp gold-plated "ANL" fuse block with tinted acrylic protection cover. Accepts up to "0" gauge cable.

Part#



IN-LINE PLASTIC FUSE HOLDER

Part#	Gauge	Description
5042	16	Blue
5043	10	Yellow



WATER-RESISTANT FUSE BLOCK

Quick disconnect ATC fuse block with water-resistant screw-down covers.

Part#	Gauge	Part#	Gauge	Part#	Gauge
30102	2	30116	6	30110	10
30114	4	30118	8	30112	12



IN-LINE MAXI FUSE HOLDER

Part#	Gauge
PRM4	8



CIRCUIT BREAKERS

Heavy Duty manual circuit breakers

Part#	Amps
CB100	100
CB150	150
	000



PROLINE™ "MAXI" WATERPROOF FUSE HOLDER

Heavy duty waterproof "MAXI" fuse holder prewired with 5" long 6 gauge wires.

Part#



AUTOMATIC RESET ATC CIRCUIT BREAKERS

ATC type auto resetting circuit breakers. Used on OEM power window/locks, AC blower, amps & many other uses when temporary overloads could occur.

Part#	Amps
CA15	15
2420	20



AGU FUSE HOLDER WITH MOUNT

Part#	Gauge
AGU-48	4



TERMINAL BLOCKS

3/8" centers. Takes wire up to 12 AWG. High quality thermoplastic. Surface or panel mount.

Part#	Terminals	Part#	Terminals
6024	4	6026	12
6025	8	6027	20



AGU FUSE HOLDER WITH MOUNT

Heavy duty 20-60 Amp capacity, Accepts 4, 6 and 8 gauge power cables. Fully insulated with water proof ends.

Gauge
4
8



HIGH QUALITY GOLD-PLATED TERMINAL BLOCKS

Gold plated barrier blocks rated for 30 Amps with high temperature thermoplastic body.

Part#	Terminals
PLT2	2 Positions
PLT3	3 Positions
PLT4	4 Positions

DELUXE ATC FUSE HOLDER

Wire secured by clamping screw

Part#





Power Supplies

PURE SINE WAVE POWER INVERTERS

STANDARD POWER INVERTERS Standard 12VDC to 110VAC. Modified sine wave generator

Converts 12 Volts to 6 Volts. Great for classic cars





Part#	Watts	Part#	Watts
77PS600	600	77PS2500	2500
77PS1000	1000	77PS5000	5000



Part#	Watts	Part#	Watts
76125	125	771200	1200
77400	400	772000	2000
77750	750	773000	3000
771000	1000	775000	5000



12 VOLT TO 6 VOLT POWER INVERTERS

Amps
5
8

2 WAY CIGARETTE LIGHTER

1 Male to 2 Female adaptor has a unique offset to allow easy 2 lighter hook-up w/out excess wires & plugs rattling on the console.

Part# PS203

CIGARETTE LIGHTER "Y" CONNECTOR One Male lighter plug to Two Female plugs.



ECONOMY POWER SUPPLY WITH LIGHTER PLUG

Regulated power supply with 3/4" Amp continuous & 5/6" Amp surge outputs. 12VDC with convenient cigarette lighter plug.

Part#	Constant Current	Surge Current
PS-30	3 Amps	5 Amps
PS-40	4 Amps	6 Amps

PREWIRED 12V CIGARETTE LIGHTER SOCKET



No more unsightly wires running over dash and console to lighter plug. Ideal for direct hook up to fuse box. Custom wiring for cellular eliminators, chargers, radar detectors, etc... 6" Length.

Part#	Description
PS100	Without Fuse

POWER SUPPLY



Standard power supplies with indicator lights & heavy duty binding posts. 12VDC.

Part#	Constant Current	Surge Current
PS-20	12 Amps	24 Amps

SNAP-IN FEMALE LIGHTER SOCKET



Fast mounting, expandable clips. Lighter plugs with protective snap-on cover. Under dash mounting bracket included.

Part# PS201

20 AMP POWER SUPPLY



New super-slim design helps comes in handy when working with tight spaces.

HIGH POWER UNIVERSAL POWER SUPPLY



High power in a compact size. Equipped with standard female cigarette lighter plug. 12V.

ALLIGATOR CLIPS

Ten piece set of Red, Black, White, Yellow & Green cords. Each is 12" long@12 ga. Ideal for testing & trouble shooting.

Part#

CIGARETTE LIGHTER PLUG



Male & Female cigarette lighter hack & plugs with easy solder terminals.



BACKUP BATTERIES

Rechargeable 12V "Gel Cell" type batteries. Sealed housing w/safety vents. 12V charging circuit available.

Part#	Description
CH 4	1.2Ah Battery Only
CH 5	1.2Ah Battery with Charger

COILED POWER CORD



Coiled cigarette cord with six most often used connectors for cellular chargers, radar detectors, etc...

Part# PS107



POWER SUPPLY

Description

UNIVERSAL ACCESSORY POWER PLUGS



FOR RADAR DETECTORS, ETC... Ideal for handwiring many car access, w/out having to cut up OEM cigarette lighter plugs. 6 most commonly used plugs to fit radar detectors, cellular chargers, etc.

Part#



Custom / Specialty Switches

'GL SERIES" ILL. SOUARE SWITCHES



EASY TO LABEL FOR PROFESSIONAL

SPDT illuminated switches. Colored lens is removable for labeling with "Rub-on" letters. When len is replaced, you have an easy-to-identify, very professional looking switch. Square face makes it easy to line up in a row for custom switch panels. Contacts are rated at 5A@12VDC. Mounts in a 7/16" diameter hole. Available in three colors.

Part#	Type	Color
402	On/Off DPDT	Red
405	Momentary SPDT	Red
406	Momentary SPDT	Green
407	Momentary SPDT	Yellow

INVISIBLE SWITCH / STARTER KILL SWITCH

The Invisible Toggle switch senses the electrostatic touch of your finger tip through any dash plastic up to 1/8 inch thick! Great for stealth control of acces-




	-	
Part#		Type
INV10		Invisible Switch Version
SK550		Starter Kill Version

How it Works:

ON - When you touch the area where you set the sensor. (it beeps)

OFF - When you touch the same area. (no sound)



"GL SERIES" ILL. ROUND SWITCHES



EASY TO LABEL FOR PROFESSIONAL

SPDT illuminated switches. Colored lens is removable for labeling with "Rub-on" letters. When len is replaced, you have an easy-to-identify, very professional looking switch. Contacts are rated at 5A@12VDC. Mounts in a 7/16" diam. hole. Available in three colors.

Part#	Type	Color
403R	On/Off DPDT	Green
404R	On/Off DPDT	Yellow
405R	Momentary SPDT	Red
406R	Momentary SPDT	Green

MINI MOMENTARY SWITCHES



Small push button switches. Mount in a small diameter hole. Contacts rated at 5 Amp@12VDC.

Part#	Type
409S	Momentary N/C

ROLL UP/SLIDING DOOR REED TYPE



Heavy reed switch for those hard to protect commercial trucks/vans roll up and sliding gates. Thick aluminum housing with wire protective conduit.

Part#

ROUND ROCKER SWITCHES



FINALLY a good looking quality black rocker switch that mounts in a ROUND HOLE. 8 Amp. 12VDC, mounts in a 3/4" hole. On/On.

Part#	Type
687	DPDT
690	SPDT

MINI BRASS PINSWITCH

GM / FORD VAN SWITCH



Quality brass construction. Adjustable height: 1/8"-1". Ideal for tight spaces.

Part#	Type
180	Long
180S	Short

1/2" grounding, self-adjusting switch.

Will work on GM van doors. It can be also used in Ford cars as a grounding

switch going directly to alarm or if (+)

dome light activation is needed, use

SUPER SWITCHES TOP QUALITY



Super Switch. The polycarbonate shaft is exceedingly tough. The spring is stainless steel; the body, nuts & star washer are nickel-plated steel.

Part#

Booted Pin Switch. 1 1/8" long, so it can be used almost anywhere. Just cut the shaft to adjust the length and it will fit into a gap as small as 1/8". This is a tough, waterproof boot that last a long time.

Parts 7040

ROUND ROCKER WITH LED



Clean, flat black, easy to install Round Rockers. SPST avail. w/built-in LED. Ideal for dash or console mounting as alarm valet switch and LED in one. 10 Amp@12 Volts.

Part#	Contact	Type
6402	SPST	Labeled On/Off
6403	DPDT	Labeled On/Off
6404	SPST	Red LED On/Off
6405	SPST	Green LED On/Off
6406LG	SPST	Yellow LED On/Off

GM SELF-ADJ. OEM DOOR TYPE

as a relay.

Part#



Self-adjusting, dual grounding door switch. Requires a 5/16" hole. Fits most GM cars.

Part# 6413

ECONOMY UNIVERSAL PIN SWITCHES

Type	Part#	
Standard Short	179	Silin
Long	181	A CONTRACTOR
Right Angle	182	
Male Bullet Conn.	125	

MERCURY SWITCHES



High quality mercury switch in dark plastic housing with 6" double zip cord leads. The quick & dependable way to protect any point w/out any long term corrosion problems.

Part# MS3 MS2

FORD DOOR SWITCH



6410 Fits Ford car doors 1978-1991.

	Part#	Type
1	6410	Door Switch

FORD LIFTGATE SWITCH

BRASS DOOR CONTACTS



6411 Fits Ford car liftgates 1981-1990

Part#	Type
6411	Liftgate Switch

Wireless contacts for any door or panel.

MERCURY SWITCHES



High quality mercury switch in dark plastic housing with 6" double zip cord leads. The quick & dependable way to protect any point without any long term corrosion problems!

7040

MERCURY TYPE SWITCHES


VALET SWITCH LED COMBO



Easily eliminate one step. Only drill one hole. Adhesive backed combo LED & switch makes for quick install.

Part# 20SMLEDS

Accessories such as power windows, power locks, alarm contacts and stereo speakers. Single, Double, Triple or 4 pole sets. Brass contacts rated at 15 Amps.



Part#	Contact Set
DC1	1
DC2	2
DC3	3
DC4	4

The fa



The fast, quick & cost-effective way to protect hoods and trucks without wor-rying about any switch alignment problems. Just screw the self-grounding body to hinge or lip portion of hood/truck with the TEK™ screw provided/truck witch angle by bending bracket. (Switch only available MS2B)

MS2

SURFACE MOUNT MOMENTARY TYPE



Stick onto any surface. No holes, quick install. Ideal for hiding behind dash/ console edges, under carpets, etc... Example: Hidden valet, starter kills, air horns...

Part#

DOOR LOCK CONTACTS



Dual door lock contacts for hard wire van back/sliding doors, radio speakers, etc...

Part# 5914 5914G-Gold

KEYSWITCHES



 Part#
 Type

 7265M
 Momentary Round

 7266
 Regular Keyswitch (SPST)

 7267S
 Super Mini Keyswitch* (SPST)

 7267
 Mini Round Keyswitch* (SPST)

 7267M
 Mini Momentary Round (SPST)

Quality zinc constrution.

(N.O. & N.C. contacts) Turn on alarm & kill ignition.
*Ideal for tight space.



Switches / Custom Switches

ON/OFF ILLUMINATED SWITCH



Smooth rocker action. Supplied with 3 international symbols or can be used black. SPST fits .8 X 1/4" panel cutout. 12VDC light.

Part# 255

ON/OFF MINI ROCKER SWITCH



Two position SPST, Fits 7/16" x 1 1/8" panel cutout.

Part# 256

ON/OFF ILLUM. MINI ROCKER SWITCH



Two position that lights when on SPST. Switch and bezel are black. Specify lens color: RED, AMBER, BLUE or GREEN. Matching switch panel avail. Fits 7/16" x 1 1/8" panel cutouts. 12VDC light.

Part#	Color
257RED	Red
257AMB	Amber
257BLU	Blue
257GRN	Green

ON/OFF SUB-MINI SWITCH



Two position with micro-action button. SPST fits 1/2" 3/4" panel cutout. All black switch.

Part# 259AB

ON/OFF ILLUM. SUB-MINI SWITCH



Two position that lights when on. Red lens. SPST fits 1/2" x 3/4" panel cutout. 12VDC light.

Part#

ROLLER PLUNGER TYPE



For use where normal pin switch could break. Ideal for hatchbacks, truck tailgates, sliding windows and van doors. Roller bass design can't snap or break (i.e. when unloading hatchbacks). SPST Momentary.

Part# 7034

MINIATURE MAGNETIC TYPE



Surface mount contacts and magnets. Adhesive and screw mounting, 12 leads with test points. 1/4" x 3/8" x 1 3/4", normally open.

ILLUM. TOGGLE SWITCH 10A SPST



Part#	Color
178RED	Red
178GRN	Green
178AMB	Amber

BLACK AND CHROME SWITCHES



On/Off switch. Two position long lever type with chrome toggle and lock nut.

Part# 261




On/Off switch. Two position long level type with black toggle and lock nut. SPDT. 2 prong.

Part# 251



On/Off switch. Two position long level type with black toggle and lock nut. SPST. 3 prong.

Part# 250



Part# 254

ACCELE INSTALLER SWITCHES



Ideal for panic switches, valet, ignition kills, etc. 10AMP 12VDC pre-wired to save time! Toggle switch comes with on/off label, SPST.

*	0	2	
		<i>#</i>	

Part#	Type	Wire
7036M	Push Momentary	6"
7036T	Toggle On/Off	30"

STANDARD TOGGLE SWITCH 3A



Fits 1/2" mounting hole. Part# Type SPST On/Off

MINIATURE TOGGLE SWITCH



3A On/On. Fits 1/4" mounting holes. Part#

SUBMINIATURE TOGGLE SWITCH



3A On/On. Fits 1/4" mounting holes. Type SPDT

HEAVY DUTY TOGGLE SWITCH



10A On/Off/On. Fits 1/2" mounting hole. 184 DPDT

BLACK AND CHROME SWITCHES



Momentary off momentary rockets. Great for door locks, power windows or electric antennas.



Part#	Type	Contacts	Switch	Amps
252	Rocker	SPDT	1/2" x 3/4" Rect.	12
253	Toggle	DPDT	1/4" Round	12
242	Rocker	DPDT	7/8" x 1 3/16" Rect.	20

CUSTOM BACK LIGHTED SWITCH KIT



Illuminated.	Easy snap	on switch	labels.
Part#		Descri	ption
DLS		4 Switch	Plate

Labels for: TV/VCP. Video Game and Aux. Description 4 Switch Plate



Nire
ole 1
ole 2
ole 3
ole 4
lot 1

PUSH BUTTON COLOR/STATUS SWITCH



An orange mechanical ball appears on clear plastic head to indicate if push button switch is in "ON" or "OFF" position. DPDT. Contacts are rated at 5 Amps@12VDC.

Part#

ADJUSTABLE ANGLE MICRO-SWITCH



Sensitive switch requires very little pressure to operate. Ideal for limit switch applications w/linear actuators. SPDT. 5 Amps@12VDC contacts.

Part#

ADJ. TIP / ANGLE MICRO-SWITCH



Sensitive switch requires very little pressure to operate. Ideal for limit switch applications w/linear actuators. SPDT. 5 Amps@12VDC contacts.

ADJ. TIP / ANGLE MICRO-SWITCH



Small momentary switches are great for custom valets, garage opener switches.

Color

Black

Part#	
414B	
410B	

OEM SNAP-IN ROUND ROCKER



Special snap-in round rocker switch designed for special OEM applications (i.e. valet switches). May be custom screened, call for OEM pricing. Minimum quality 1000.

Part#

224WH - Harness for 224W 224W

MINI DASH SWITCH W/BUILT-IN LED



A mini push button switch with a builtin LED that will snap into a 5/16" hole on any dash. Have valet & LED in one switch! Ideal for hidden ignition kill that looks like an LED.

Part# Type On/Off Contact

MINI DASH SWITCH W/BUILT-IN LED



Great looking, low profile rocker switches. Surface dimensions: 3/4" X 9/16". Mounts in a 1/2" diameter hole. Contacts rated at 5 Amp@12VDC.

Part#	Type
239P	DPDT M/Off/M



Holds and Charges iPad, Clamp Mounts to any headrest poles, Built in IR Headphones and FM Transmistters

New Optix Wireless 3.5" LCD Backup Camera System RVCWL35

3.5" LCD monitor. Units License Plate camera has IR illuminators built in for easy day or nighttime viewing. Minimizes Noise and delivers a great wireless picture on adjustable glass mount.



Digitally transmits signals on vehicles powerline Will work on any length vehicle. Waterproof controller and harness. Will work on any metal or plastic bumpers. Great for RV, Trucks and Trailers.

24 VDC to 12 VDC Converter



Converts 24 VDC to 12 VDC Output. Great for Powering up any 12 volt electronics in Buses, Trucks, Etc.

New Motorized Remote Control 55 Watt Spotlight

Fully Motorized up/down, left/right keychain remote controlled Easy Magnetic mount or permanent screw mount with included stainless steel screws Housing has UV and Saltwater protection

12 Channel Transmitter Receiver



12 SPDT Relays on board, 10 Amp Contacts, Momentary Output, Continuous

Output when button is held down, 12VDC - 300ma

Time Delay Relay



Adjustable 2 seconds - 5 minutes. SPST, 30amp contacts, 12 VDC, Internal Adjustable Pot

New Headrest Mount Android Touchscreen PC with WIFI and SD



9" Widescreen LCD, Android PC with SD, USB and Wifi Surfing Abilities or watch movies with your cellphone wifi link. Wireless game controller Included. A/V input and output for easy linking 2 headrest together.

19" Widescreen Bus Flipdown



All Metal Latch & Mounting Plate, NTSC/PAL, 1440X 900 Pixels, 2AV In, IR Remote Control

Get Video Output From iPhone, iPad, iTouch



iPod, iPhone or iPad for your flipdown or headrest monitors. Decoder Electronics built inside connector

Smart Phone! Android / iPhone... Single Din AM/FM Radio



AL100

Play Your Smart Phone Music, AM/FM Radio, USB /SD/SDHC, Front /Rear Aux 75Wx4 Rotary volume control, last-memory,folder/

iPod Audio Cables w/ 3.5mm Jack



random play, 5-EQ, bluetooth 2.0, A2D Smart Phone App. included





All the needed Installation Hardware in one Package! Gold RCA Audio Jacks, peaker Wires, crimp connectors, etc.

Nylon Butt Connectors High Quality! (Not Made in China)

/1000 pcs

102KX - Blue

101KX - Red

price is for 1000 pieces / bag





17900 Crusader Avenue, Cerritos, CA 90703 TEL: 800.788.1212 FAX: 562.809.1248